



Special Needs Series

SUBMITTAL DATA

FRONT VIEW



SIDE VIEW




Accessible Shower Stall

The enclosure shall be Aquarius Model G 3637 BF three piece right or left. The finished surface shall be of a finished surface polyester Gelcoat exhibiting a minimal thickness of 15 dry mils, and a finished cured Barcol hardness of 80-90 as tested with ASTM D-2583. Unit construction shall be of molded reinforced fiberglass with a minimum fiberglass content of 15%. The unit shall have the outside dimensions of 40 1/4" x 39 1/2" x 77 1/4". The base shall be attached to the sump of the unit in such a manner to form an integral part with an inner and outer coating of reinforced polyester resin. The unit shall meet ANSI 124.2, ADA, HUD, BOCA, NAHB, UPC, and shall meet the requirements of the Southern Building Code.

The enclosure shall be equipped with the following installed accessories:
 1) one 18" x 31 1/2" x 1 1/4" L-shaped textured bar, 18 gauge stainless steel with 1 1/2" statute clearance, mounted with stainless steel bolts secured from the rear with 3" x 3", 11 gauge mounting plates,
 2) 1" diameter, 20 gauge stainless steel curtain rod,
 3) padded fold up seat installed and secured from the rear with 3" x 3", 11 gauge mounting plates, 4) brass drain, 5) 1/2" threshold.

Available options: 1) Hand held shower kit (includes hand held set, 60" flex hose, vacuum breaker, brass nipple, lock nut, wall brackets, and shower wall outlet, 2) 24" or 30" slide bar, 3) Pressure balance valve, 4) Green anti-bacterial shower curtain and hooks, 5) White shower curtain and hooks.

TOP VIEW



DUE TO THE NATURE OF THE MATERIALS
DIMENSIONS MAY VARY $\pm 1/2"$

Job Name:		AQUARIUS	
Model No.: G3637BF MODIFIED WITH A 1/2" THRESHOLD & 1 1/4" DIAMETER SS TEXTURED L-SHAPED GRAB BAR			Drawing#: G363768
Approved by:	Date Approved:	Date: 7-31-96	Revised: 1-10-06
Rep.:	Wholesaler:	Quote No.:	

PRAXIS INDUSTRIES, LLC.
 435 INDUSTRIAL RD - SAVANNAH, TN 38372
 1 (800) 443-7269 - FAX (731) 925-4290